





















- Hoyer C, Zieger H, Priesting G et.al. Predictors of length of stay in inpatient child and adolescent psychiatry: failure to validate an evidence-based model. *European Child and Adolescent Psychiatry* 2002. 11:281-288
- James S. What works in group care? A structured review of treatment models for group homes and residential care. *Child and Youth Services Review* 2011. 33:308-321
- Kennair N, Mellor D, Brann P. Evaluating the outcomes of adolescent day programs in an Australian child and adolescent mental health service. *Clinical Child Psychology and Psychiatry* 2011. 16(1):21-31
- Kiser L, Millsap P, Hickerson S et.al. *Journal of the American Academy of Child and Adolescent Psychiatry* 1996. 35(1):81-90
- Lamb C. Alternatives to admission for children and adolescents: providing intensive mental healthcare services at home and in communities: what works? *Current Opinion on Psychiatry* 2009. 22:345-350
- Mathai J, Bourne A. Patients who do less well in an inpatient adolescent unit. *Australasian Psychiatry* 2009, Vol 17 No. 4:283-286
- Nadkarni J, Blakelock D, Jha A et.al. The clinical profile of young people accessing a low secure adolescent unit. *The British Journal of Forensic Practice* 2012. Vol 14, 3: 217-226
- Paterson R, Bauer P, McDonald A et.al. *Australian and New Zealand Journal of Psychiatry* 1997; 31:682-690
- Pfeiffer S, Strzelecki B. Inpatient Psychiatric Treatment of Children and Adolescents: A Review of Outcome Studies. *Journal of the American Academy of Child and Adolescent Psychiatry* 1990. 29, 6:847-853
- Preyde M, Frensch K, Cameron G. Long term Outcomes of Children and Youth accessing Residential or Intensive Home-based Treatment: Three year follow up. *Journal of Child and Family Studies* 2011. 20:660-668
- Rishel C, Morris T, Colyer C. Preventing the residential placement of young children: A multidisciplinary investigation of challenges and opportunities in a rural state. *Children and Youth Services Review* 2014. 37:9-14
- Rothery D, Wrate R, McCabe R et.al. Treatment Goal-Planning: Outcome Findings of a British Prospective Multi-Centre Study of Adolescent Inpatient Units. *European Child and Adolescent Psychiatry* 1995. 4(3):209-221
- Schley C, Ryall V, Crothers L et al. Early intervention with difficult to engage, high-risk youth: evaluating an intensive outreach approach in youth mental health. *Early Intervention in Psychiatry* 2008. 2:195-200
- Schley C, Radovini A, Halperin S et.al. Intensive outreach in youth mental health: Description of a service model for young people who are difficult to engage and high-risk. *Children and Youth Services Review* 2011. 33:1506-1514
- Simpson W, Cowie L, Wilkinson L et.al. The Effectiveness of a Community Intensive Therapy Team on Young People's Mental Health Outcomes. *Child and Adolescent Mental Health* 2010. 15(4):217-223
- Tongue B, Hughes G, Pullen J et.al. Comprehensive description of adolescents admitted to a public psychiatric inpatient unit and their families. *Australian and New Zealand Journal of Psychiatry* 2008; 42:627-635
- Usman M, Dryden-Mead T, Crouch C. Planned Psychiatric Admissions to Reduce Emergency Presentations: A Retrospective Cohort Study of Adolescents. *Psychology Research* January 2014, Vol 4, No. 1, 25-30